



PROFILE EXTRUSION COMPANY

STANDARD SHAPE CATALOG

PROFILE EXTRUSION COMPANY
P.O. BOX 121
ANDERSON ROAD
ROME, GEORGIA, 30162-0121
PHONE: 706-234-7558
FAX: 706-234-7649

REVISED AUGUST 2011



PROFILE EXTRUSION
COMPANY

ANDERSON ROAD
ROME, GEORGIA 30162-0121
PHONE NO. 706-234-7558
FAX NO. 706-234-7649

STANDARD SHAPES - RECTANGULAR BAR - 6063 ALLOY

PART NO.	HEIGHT	WIDTH	CORNER RADII	WT/FT
XRB-38-055	0.055	2.375	0.016	0.156
XRB-15-1	0.062	0.938	0.016	0.069
XRB-16-1	0.062	1.000	0.016	0.074
XRB-20-1	0.064	1.250	0.016	0.096
XRB-44-080	0.080	2.750	0.016	0.263
SAT-003	0.090	1.125	0.016	0.121
XRB-12-120	0.120	0.750	0.016	0.107
XRB-32-120	0.120	2.000	0.016	0.288
XRB-2-10	0.125	0.625	0.016	0.094
XRB-2-56	0.125	3.500	0.016	0.524
XRB-12-2	0.125	0.750	0.016	0.113
XRB-16-2	0.125	1.000	0.016	0.150
XRB-20-2	0.125	1.250	0.016	0.187
XRB-24-2	0.125	1.500	0.016	0.224
XRB-2-28	0.125	1.750	0.016	0.263
XRB-32-2-007	0.125	2.000	0.007	0.287
XRB-48-2	0.125	3.000	0.016	0.450
XRB-12-3	0.187	0.750	0.016	0.169
XRB-3-16	0.188	1.000	0.016	0.226
XRB-20-3	0.188	1.250	0.016	0.282
XRB-24-3	0.188	1.500	0.016	0.338
XRB-25-3	0.188	1.563	0.016	0.352
XRB-28-3	0.188	1.750	0.016	0.395
XRB-32-3	0.188	2.000	0.016	0.451
XRB-36-3	0.188	2.250	0.016	0.508
XRB-40-3-15	0.188	2.500	0.015	0.564
XRB-40-3	0.188	2.500	0.025	0.563
XRB-20-3	0.197	1.260	0.016	0.298
XRB-25-3	0.197	1.575	0.016	0.372
XRB-4-7	0.250	0.438	0.016	0.131
XRB-4-8	0.250	0.500	0.016	0.150
XC-97-4-16	0.250	1.000	0.062	0.296
XRB-24-4	0.250	1.500	0.016	0.450
XC-97-4-24	0.250	1.500	0.062	0.446
XRB-30-4	0.250	1.875	0.016	0.563
XRB-32-250	0.250	2.000	0.016	0.567
XC-97-4-32	0.250	2.000	0.062	0.596
XC-97-4-48	0.250	3.000	0.062	0.896
XRB-4-64	0.250	4.000	0.016	1.200
XC-97-4-64	0.250	4.000	0.062	1.177
XC-97-4-88	0.250	5.500	0.062	1.646
XRB-4-96	0.250	6.000	0.016	1.800
XRB-5-5-312	0.312	0.312	0.016	0.115
XC-97-5-88	0.312	5.500	0.062	2.056
XRB-5-5-317	0.317	0.317	0.016	0.120
XRB-6-16	0.375	1.000	0.016	0.450
XRB-6-20	0.375	1.250	0.062	0.558



PROFILE EXTRUSION
COMPANY

ANDERSON ROAD
ROME, GEORGIA 30162-0121
PHONE NO. 706-234-7558
FAX NO. 706-234-7649

STANDARD SHAPES - RECTANGULAR BAR - 6063 ALLOY

PART NO.	HEIGHT	WIDTH	CORNER RADII	WT/FT
XR6-6-24	0.375	1.500	0.016	0.674
XC-97-6-32	0.375	2.000	0.062	0.896
XC-97-6-40	0.375	2.500	0.062	1.103
XC-97-6-48	0.375	3.000	0.062	1.324
XC-97-6-56	0.375	3.500	0.062	1.546
XR6-6-56	0.375	3.500	0.062	1.571
XC-97-6-64	0.375	4.000	0.062	1.796
XC-97-6-80	0.375	5.000	0.062	2.204
XC-97-6-96	0.375	6.000	0.062	2.696
XR6-8-8-016	0.500	0.500	0.016	0.300
XR6-16-8	0.500	1.000	0.016	0.591
XC-97-8-32	0.500	2.000	0.062	1.177
XR6-32-8-062	0.500	2.000	0.062	1.177
XC-97-8-40	0.500	2.500	0.062	1.472
XC-97-8-48	0.500	3.000	0.062	1.767
XR6-56-250	0.500	3.500	0.016	0.994
XC-97-8-64	0.500	4.000	0.062	2.357
XC-97-8-88	0.500	5.500	0.062	3.296
XR6-8-96	0.500	6.000	0.016	3.600
XC-97-10-64	0.625	4.000	0.062	2.947
XR6-8-12	0.750	0.500	0.016	0.450
XR6-12-24	0.750	1.500	0.016	1.350
XC-97-12-64	0.750	4.000	0.062	3.357
XC-97-12-80	0.750	5.000	0.062	4.422
XC-036	0.790	9.200	0.016	8.832
XR6-42-14	0.865	2.618	0.016	2.717
XR6-50-14	0.865	3.064	0.016	3.180
XR6-18-18-250	1.000	1.000	0.250	1.454
XR6-32-16	1.000	2.000	0.016	2.400
XR6-48-16	1.000	3.000	0.016	3.600
XR6-18-18	1.500	1.500	0.250	1.454
XC-97-24-48	1.500	3.000	0.125	5.295



PROFILE EXTRUSION
COMPANY

ANDERSON ROAD
ROME, GEORGIA 30162-0121
PHONE NO. 706-234-7558
FAX NO. 706-234-7649

STANDARD SHAPES - ROUND ROD - 6063 ALLOY

PART NO.	DIAMETER	WT/FT
XRR-6	0.185	0.133
XRR-5	0.312	0.091
XRR-8	0.500	0.235
XRR-10	0.625	0.368
XRR-16	1.000	0.943
XRR-20	1.250	1.472
XRR-24	1.500	2.120
XRR-32	2.000	3.770
XRR-40	2.500	5.891
XRR-48	3.000	8.483
XRR-56	3.500	11.545



PROFILE EXTRUSION
COMPANY

ANDERSON ROAD
ROME, GEORGIA 30162-0121
PHONE NO. 706-234-7558
FAX NO. 706-234-7649

STANDARD SHAPES - EQUAL LEG ANGLE - 6063 ALLOY

PART NO.	LEG LENGTH	WALL THICKNESS	CORNER RADII	WT/FT
XAE-8-062	0.500	0.062	0.016	0.068
XAE-12-1	0.750	0.062	0.016	0.107
XAE-14-2	0.875	0.125	0.016	0.244
XAE-16-1-08	1.000	0.062	0.008	0.146
XAE-16-1	1.000	0.062	0.016	0.144
XAE-16-2	1.000	0.125	0.016	0.281
XAE-20-2	1.250	0.125	0.016	0.356
XAE-1265-120	1.265	0.120	0.160	0.347
XAE-21-050	1.300	0.050	0.016	0.152
XAE-24-2	1.500	0.125	0.016	0.431
XAE-24-4	1.500	0.250	0.016	0.824
XAE-24-3	1.500	0.188	0.016	0.750
XAE-32-2	2.000	0.125	0.016	0.581
XAE-32-188	2.000	0.188	0.016	0.859
XAE-32-4-08	2.000	0.250	0.008	1.125
XAE-32-4	2.000	0.250	0.016	1.124
XAE-48-3	3.000	0.188	0.016	1.778
XAE-48-4	3.000	0.250	0.016	1.724
XAE-64-6	4.000	0.375	0.016	3.431



PROFILE EXTRUSION
COMPANY

ANDERSON ROAD
ROME, GEORGIA 30162-0121
PHONE NO. 706-234-7558
FAX NO. 706-234-7649

STANDARD SHAPES - UNEQUAL LEG ANGLE - 6063 ALLOY

PART NO.	HEIGHT	WIDTH	WALL THICKNESS	CORNER RADII	WT/FT
XC-18-27	0.250	0.750	0.071	0.016	0.082
XAU-16-8-045	0.500	1.000	0.045	0.016	0.048
XAU-16-8-1	0.500	1.000	0.063	0.016	0.107
XAU-16-8-1.5	0.500	1.000	0.090	0.016	0.152
XAU-11-24-2	0.688	1.500	0.125	0.016	0.309
XAU-12-24-050	0.750	1.500	0.050	0.016	0.132
XAU-13-19-085	0.800	1.195	0.085	0.016	0.194
XAU-60-20-115	1.000	1.250	0.115	0.016	0.294
XAU-16-24-065	1.000	1.500	0.065	0.016	0.189
XAU-32-16-050	1.000	2.000	0.050	0.016	0.176
XAU-32-16-1	1.000	2.000	0.063	0.016	0.218
XAU-16-24-078	1.000	2.000	0.078	0.016	0.227
XAU-32-16-2	1.000	2.000	0.125	0.016	0.431
XAU-32-16-188	1.000	2.000	0.188	0.016	0.634
XAU-48-16-090	1.000	3.000	0.090	0.016	0.422
XAU-16-48-2	1.000	3.000	0.125	0.016	0.571
XAU-16-64-1	1.000	4.000	0.062	0.016	0.367
XAU-16-64-125	1.000	4.000	0.125	0.016	0.738
XAU-16-64-250	1.000	4.000	0.250	0.016	1.424
XAU-20-52-090	1.250	3.250	0.090	0.016	0.476
XAU-20-22-120	1.265	1.378	0.120	0.016	0.362
XAU-32-24-125	1.500	2.000	0.125	0.016	0.506
XAU-24-40-125	1.500	2.500	0.125	0.016	0.576
XAU-24-48-093	1.500	3.000	0.093	0.016	0.492
XAU-24-48	1.500	3.000	0.125	0.016	0.656
XAU-24-56	1.500	3.500	0.125	0.016	0.731
XAU-24-80	1.500	5.000	0.125	0.016	0.956
XAU-32-48-125	2.000	3.000	0.125	0.016	0.731
XAU-32-48-250-008	2.000	3.000	0.250	0.008	1.424
XAU32-64-093	2.000	4.000	0.093	0.016	0.659
XAU32-64-125	2.000	4.000	0.125	0.016	0.884
XAU-32-64-125-007	2.000	4.000	0.125	0.007	0.881
XAU-32-80-125	2.000	5.000	0.125	0.016	1.031
XAU-32-102-090	2.000	6.375	0.090	0.016	0.894
XAU-64-52-2	3.250	4.000	0.125	0.016	1.068



PROFILE EXTRUSION
COMPANY

ANDERSON ROAD
ROME, GEORGIA 30162-0121
PHONE NO. 706-234-7558
FAX NO. 706-234-7649

STANDARD SHAPES - STRUCTURAL EQUAL LEG ANGLE - 6063 ALLOY

PART NO.	LEG LENGTH	WALL THICKNESS	CORNER RADII	WT/FT
XAE-S-20-3	1.250	0.188	0.125	0.522
XAE-S-24-2	1.500	0.125	0.124	0.432
XAE-S-24-3	1.500	0.188	0.124	0.636
XAE-S-24-4	1.500	0.250	0.124	0.826
XAE-S-32-2	2.000	0.125	0.125	0.589
XAE-S-32-3	2.000	0.188	0.125	0.868
XAE-S-32-4	2.000	0.250	0.125	1.133
XAE-S-32-5-150	2.000	0.375	0.150	1.582
XAE-S-48-4	3.000	0.250	0.125	1.733
XAE-S-64-4	4.000	0.250	0.250	2.362



PROFILE EXTRUSION
COMPANY

ANDERSON ROAD
ROME, GEORGIA 30162-0121
PHONE NO. 706-234-7558
NO. 706-234-7649

FAX

STANDARD SHAPES - STRUCTURAL UNEQUAL LEG ANGLE - 6063 ALLOY

PART NO.	HEIGHT	WIDTH	WALL THICKNESS	CORNER RADII	WT/FT
XAU-S-48-32-189	3.000	2.000	0.189	0.125	0.189



PROFILE EXTRUSION
COMPANY

ANDERSON ROAD
ROME, GEORGIA 30162-0121
PHONE NO. 706-234-7558
FAX NO. 706-234-7649

STANDARD SHAPES - SCHEDULE PIPE - 6063 ALLOY

PART NO.	SCHEDULE	N.P.S.	A DIAMETER	WALL THICKNESS	WT/FT
XTR-S-10-20	10	1 1/4	1.652	0.109	0.637
XTR-S-10-24	10	1 1/2	1.900	0.109	0.736
XTR-S-40-12	40	3/4	1.050	0.113	0.399
XTR-S-40-16	40	1	1.315	0.133	0.593
XTR-1660-140	40	1 1/4	1.660	0.140	0.802
XTR-S-40-24	40	1 1/2	1.900	0.145	0.959
XTR-S-40-32	40	2	2.375	0.154	1.289
XTR-S-40-40	40	2 1/2	2.875	0.203	2.045
XTR-S-40-3	40	3	3.500	0.216	2.674
XTR-S-40-72	40	4	4.500	0.237	3.809
XTR-S-40-5	40	5	5.563	0.258	5.099
XTR-S-80-24	80	1 1/2	1.900	0.200	1.282
XTR-S-80-32	80	2	2.375	0.218	1.772

* N.P.S. = NOMINAL PIPE SIZE IN INCHES



PROFILE EXTRUSION
COMPANY

ANDERSON ROAD
ROME, GEORGIA 30162-0121
PHONE NO. 706-234-7558
FAX NO. 706-234-7649

STANDARD SHAPES - ROUND TUBING - 6063 ALLOY

PART NO.	DIAMETER (OD)	WALL THICKNESS	WT/FT	
XTR-7-030	0.438	0.030	0.047	
XTR-10-125	0.625	0.125	0.236	
XTR-12-049	0.750	0.049	0.129	
XTR-12-062	0.750	0.062	0.161	
XTR-12-072	0.750	0.072	0.185	
XTR-12-083	0.750	0.083	0.209	
XTR-12-120	0.750	0.120	0.286	
XTR-14-062	0.875	0.062	0.190	
XTR-16-062	1.000	0.062	0.218	
XTR-16-080	1.000	0.080	0.277	
XTR-16-100	1.000	0.100	0.338	
XTR-1050-113	1.050	0.113	0.400	
XTR-1050-140	1.050	0.140	0.480	
XTR-1098-080	1.098	0.080	0.307	
XTR-18-055	1.125	0.055	0.222	
XTR-18-057	1.125	0.057	0.229	
XTR-18-080	1.125	0.080	0.316	
XTR-20-055	1.250	0.055	0.247	
XTR-20-065	1.250	0.065	0.290	
XTR-20-085	1.250	0.085	0.373	
XTR-20-100	1.250	0.100	0.433	
XTR-20-175	1.250	0.175	0.709	
XTR-21-133	1.312	0.133	0.593	
XTR-21-140	1.312	0.140	0.620	
XTR-21-109	1.315	0.109	0.496	
XTR-22-080	1.375	0.080	0.391	
XTR-22-085	1.375	0.085	0.414	
XTR-22-100	1.375	0.100	0.481	
XTR-22-125	1.375	0.125	0.589	
XTR-24-083	1.500	0.083	0.443	
XTR-1400-100	1.400	0.100	0.489	
XTR-24-065	1.500	0.065	0.352	
XTR-24-075	1.500	0.075	0.403	
XTR-24-095	1.500	0.095	0.503	
XTR-24-100	1.500	0.100	0.528	
XTR-24-140	1.500	0.140	0.718	
XTR-24-250	1.500	0.250	1.178	
XTR-26-058	1.625	0.058	0.344	
XTR-26-085	1.625	0.085	0.493	
XTR-26-100	1.625	0.100	0.344	
XTR-26-110	1.625	0.110	0.629	
XTR-26-115	1.625	0.115	0.655	



PROFILE EXTRUSION
COMPANY

ANDERSON ROAD
ROME, GEORGIA 30162-0121
PHONE NO. 706-234-7558
FAX NO. 706-234-7649

STANDARD SHAPES - ROUND TUBING - 6063 ALLOY

PART NO.	DIAMETER (OD)	WALL THICKNESS	WT/FT	
XTR-26-400	1.625	0.400	1.847	
XTR-1660-140	1.660	0.140	0.802	
XTR-28-089	1.750	0.089	0.557	
XTR-28-205	1.750	0.205	1.194	
XTR-29-100	1.812	0.100	0.646	
XTR-30-090	1.875	0.090	0.606	
XTR-30-140	1.900	0.140	0.929	
XTR-196-125	1.960	0.125	0.864	
XTR-32-065	2.000	0.065	0.475	
XTR-32-085	2.000	0.085	0.614	
XTR-32-100	2.000	0.100	0.716	
XTR-32-125	2.000	0.125	0.884	
XTR-32-150	2.000	0.150	1.046	
XTR-32-128	2.016	0.128	0.912	
XTR-33-200	2.060	0.200	1.403	
XTR-34-080	2.125	0.080	0.617	
XTR-34-085	2.125	0.085	0.659	
XTR-36-147	2.250	0.147	1.165	
XTR-36-235	2.250	0.235	1.786	
XTR-38-080	2.375	0.080	0.692	
XTR-38-085	2.375	0.085	0.733	
XTR-38-100	2.375	0.100	0.858	
XTR-40-200	2.500	0.200	1.734	
XTR-40-250	2.500	0.250	2.120	
XTR-48-100	3.000	0.100	1.093	
XTR-48-250	3.000	0.250	2.592	
XTR-50-188	3.125	0.188	2.082	
XTR-54-065	3.375	0.065	0.811	
XTR-56-065	3.500	0.065	0.841	
XTR-56-125	3.500	0.125	1.590	
XTR-56-250	3.500	0.250	3.062	
XTR-60-150	3.750	0.150	2.036	
XTR-66-065	4.125	0.065	0.995	
XTR-72-063	4.500	0.063	1.045	
XTR-80-125	5.000	0.125	2.297	



PROFILE EXTRUSION
COMPANY

ANDERSON ROAD
ROME, GEORGIA 30162-0121
PHONE NO. 706-234-7558
FAX NO. 706-234-7649

STANDARD SHAPES - RECTANGULAR TUBING - 6063 ALLOY

PART NO.	HEIGHT	WIDTH	WALL THICKNESS	CORNER RADII	WT/FT
XRT-8-12-062	0.500	0.750	0.062	0.016	0.168
XRT-8-24-062	0.500	1.500	0.062	0.016	0.280
XRT-10-14-050	0.625	0.865	0.050	0.045	0.164
XRT-12-17-060	0.750	1.062	0.060	0.125	0.232
XC-43-1	0.750	1.500	0.075	0.040	0.379
XRT-12-64-81	0.750	4.000	0.081	0.032	0.782
XRT-16-24-062	1.000	1.500	0.062	0.016	0.354
XRT-16-24-125	1.000	1.500	0.125	0.016	0.676
XRT-16-24-250	1.000	1.500	0.250	0.016	1.200
XRT-16-32-045	1.000	2.000	0.045	0.016	0.314
XRT-16-32-070	1.000	2.000	0.070	0.016	0.481
XRT-16-32-078	1.000	2.000	0.078	0.016	0.533
XRT-16-32-125	1.000	2.000	0.125	0.016	0.826
XRT-16-48-062-125	1.000	3.000	0.062	0.125	0.565
XRT-16-48-125	1.000	3.000	0.125	0.016	1.126
XRT-16-60-125	1.000	3.750	0.125	0.016	1.350
XRT-16-64-125	1.000	4.000	0.125	0.016	1.426
XRT-96-16-1	1.000	6.000	0.125	0.016	2.026
XRT-19-32-070	1.200	1.985	0.070	0.016	0.511
XRT20-40-125	1.250	2.500	0.105	0.016	0.893
XRT-24-31-060	1.495	1.970	0.060	0.016	0.481
XRT-32-24-090	1.500	2.000	0.090	0.016	0.718
XRT-24-32-125	1.500	2.000	0.125	0.016	0.976
XRT-24-32-250	1.500	2.000	0.250	0.016	1.800
XRT-24-48-060	1.500	3.000	0.060	0.016	0.631
XRT-24-48-078	1.500	3.000	0.078	0.016	0.814
XRT-24-48-125	1.500	3.000	0.125	0.125	1.276
XCS-20	1.750	4.000	0.125	0.025	1.650
XRT-24-28-070	2.000	2.250	0.070	0.016	0.523
XRT-32-48-125	2.000	3.000	0.125	0.016	1.426
XRT-32-64-081	2.000	4.000	0.081	0.032	1.136
XRT-32-64-109	2.000	4.000	0.109	0.016	1.513
XRT-32-64-125	2.000	4.000	0.125	0.016	1.726
XRT-64-32	2.000	4.000	0.250	0.016	3.300
XRT-32-80-125	2.000	5.000	0.125	0.016	2.026
XRT-32-96-125	2.000	6.000	0.125	0.016	2.326
XRT-32-96-188	2.000	6.000	0.188	0.016	3.440
XRT-32-128-120	2.000	8.000	0.120	0.016	2.812
XRT-33-33-375	2.035	2.042	0.375	0.016	2.994
XRT-33-50-375	2.035	3.101	0.375	0.016	3.947
XRT-38-63-094	2.375	3.938	0.094	0.016	1.382
XRT-16-40-160	2.500	1.000	0.160	0.030	1.236
XRT-48-96-250	3.000	6.000	0.250	0.020	5.100
XRT-64-96-125	4.000	6.000	0.125	0.016	2.926
XRT-64-96-250	4.000	6.000	0.250	0.016	5.700



PROFILE EXTRUSION
COMPANY

ANDERSON ROAD
ROME, GEORGIA 30162-0121
PHONE NO. 706-234-7558
FAX NO. 706-234-7649

STANDARD SHAPES - SQUARE TUBING - 6063 ALLOY

PART NO.	WIDTH	WALL THICKNESS	CORNER RADII	WT/FT
XTS-10-50	0.625	0.050	0.016	0.137
XTS-12-050	0.750	0.050	0.016	0.168
XTS-12-062	0.750	0.062	0.016	0.205
XTS-12-125	0.750	0.125	0.040	0.373
XTS-12-125-16	0.750	0.125	0.016	0.374
XTS-16-40-093	1.000	0.040	0.093	0.179
XTS-16-062-125	1.000	0.062	0.125	0.268
XTS-16-062-020	1.000	0.062	0.020	0.280
XTS16-062-93	1.000	0.062	0.093	0.271
XTS-16-075	1.000	0.075	0.016	0.325
XTS-16-100-093	1.000	0.100	0.093	0.424
XTS-16-100	1.000	0.100	0.100	0.421
XTS-16-125	1.000	0.125	0.016	0.526
XTS-20-109-125	1.250	0.109	0.125	0.581
XTS-20-125	1.250	0.125	0.016	0.674
XTS-24-062	1.500	0.062	0.016	0.428
XTS-24-080	1.500	0.080	0.016	0.546
XTS-24-125	1.500	0.125	0.016	0.825
XTS-24-125-125	1.500	0.125	0.125	0.810
XTS-32-062	2.000	0.062	0.016	0.577
XTS-32-090	2.000	0.090	0.016	0.826
XTS-32-125	2.000	0.125	0.016	1.126
XTS-32-250	2.000	0.250	0.016	2.100
XTS-40-075	2.500	0.075	0.016	0.874
XTS-40-125	2.500	0.125	0.016	1.456
XC-096	2.700	0.125	0.016	1.546
XTS-48-093	3.000	0.093	0.016	1.297
511-906	3.000	0.120	0.016	1.645
XTS-48-125	3.000	0.125	0.016	1.726
XTS-48-188-301	3.000	0.188	0.301	2.447
XTS-48-250	3.000	0.250	0.016	3.300
XTS-48-250-301	3.000	0.250	0.301	3.209
XTS-59-125	3.688	0.125	0.125	2.122
XTS-64-125	4.000	0.125	0.125	2.310
XTS-64-250	4.000	0.250	0.016	4.500
XTS-96-188	6.000	0.188	0.250	5.244



PROFILE EXTRUSION
COMPANY

ANDERSON ROAD
ROME, GEORGIA 30162-0121
PHONE NO. 706-234-7558
FAX NO. 706-234-7649

STANDARD SHAPES - CHANNEL EXTRUSIONS - 6063 ALLOY

PART NO.	LEG HEIGHT	BASE WIDTH	WALL THICKNESS	WT/FT
XCC-8-8-062	0.500	0.500	0.062	0.102
XCC-8-24-125	0.500	1.500	0.125	0.337
XCC-8-9-062	0.562	0.500	0.062	0.112
XCC-10-16-050	0.625	1.000	0.050	0.128
XCC-10-24-070	0.625	1.500	0.070	0.223
XCC-22-6-125	0.750	1.750	0.125	0.450
XCC-16-16-125	1.000	1.000	0.125	0.412
XCC-16-24-125	1.000	1.500	0.125	0.487
XCC-16-32-125	1.000	2.000	0.125	0.562
XCC-16-40-125	1.000	2.500	0.125	0.637
XCC-96-16-094	1.000	6.000	0.094	0.881
XCC-64-25-180	1.563	4.000	0.180	1.495
XCC-30-47-250	1.900	2.955	0.250	1.919
XCC-32-16-125	2.000	1.000	0.125	0.712
XCC-32-28-125	2.000	1.750	0.125	0.824
XCC-32-128-312	2.000	6.000	0.312	3.884



**PROFILE EXTRUSION
COMPANY**

ANDERSON ROAD
PHONE NO. 706-234-7558

ROME, GEORGIA 30162-0121
FAX NO. 706-234-7649

STANDARD SHAPES - CHANNEL EXTRUSIONS - 6063 ALLOY

PART NO.	LEG HEIGHT	BASE WIDTH	WALL THICKNESS	CORNER RADII (INT)	CORNER RADII (EXT)	WT/FT
XCC-AS-64-32	2.000	4.000	0.150	0.150	0.016	1.772



PROFILE EXTRUSION
COMPANY

ANDERSON ROAD
ROME, GEORGIA 30162-0121
PHONE NO. 706-234-7558
FAX NO. 706-234-7649

STANDARD SHAPES - STANDARD I-BEAM - 6063 ALLOY

PART NO.	HEIGHT	LEG WIDTH	WEB THICKNESS	WT/FT
XC-027	3.000	2.000	0.125	1.049
XC-012	4.500	3.000	0.175	2.737
XC-011	5.500	3.500	0.195	3.560
XC-010	6.500	4.000	0.220	4.572
XC-009	7.500	4.375	0.230	5.581



PROFILE EXTRUSION
COMPANY

ANDERSON ROAD
ROME, GEORGIA 30162-0121
PHONE NO. 706-234-7558
FAX NO. 706-234-7649

STANDARD SHAPES - STANDARD DOCK SHAPES - 6063 ALLOY

PART NO.	DESCRIPTION	WALL THICKNESS	WT/FT
XC-006	2" SQUARE TUBE	0.125	0.992
XC-007	3" SQUARE TUBE	0.125	1.550
XC-008	8" X 2" CHANNEL	0.130	2.377
XC-020	2" X 2" SQUARE TUBE	0.125	1.234
XC-021	3.050" SQUARE TUBE	0.125	1.916
XC-022	6"X 2.225" CHANNEL	0.185	2.534
XC-025	5.969" X 2.219" CHANNEL	0.188	3.002
XC-026	9" FLOOR	0.188	3.895
XC-038	2" X 1.5" RECTANGULAR TUBE	0.125	1.056
XC-053	6" X 2.219" CHANNEL	0.188	2.608
SDS-002	3" SQUARE TUBE W/FLUTING	0.125	1.675
SDS-005	2.00" X 6.750" TREAD	0.125	1.860
SDS-007	2.00" X 8.00" FLUTED RECT. TUBE	0.125	2.872
SDS-010	2" SQUARE TUBE W/ FLUTING	0.125	1.044
SDS-011	2" X 9" FLUTED CHANNEL	0.188	3.239



**PROFILE EXTRUSION
COMPANY**

ANDERSON ROAD
ROME, GEORGIA 30162-0121
PHONE NO. 706-234-7558 FAX
NO. 706-234-7649

STANDARD SHAPES - FENCE & HANDRAIL EXTRUSIONS - 6063 ALLOY

PART NO.	DESCRIPTION	WALL THICKNESS	WT/FT
XC-028	2" SNAP PLATE	0.047	0.175
XC-029	SNAP PLATE 1.795"	0.075	0.251
XC-030	BOTTOM CHANNEL 1.795" X .895"	0.075	0.360
XC-031	2" SNAP POST	0.070	0.606
XC-032	SNAP CHANNEL 1.625" X 1.000"	0.045	0.294
XC-033	3/4" PICKET	0.040	0.156
XC-034	1" PICKET	0.040	0.223
XC-035	TOP CAP 2.500" X 1.625"	0.062	0.462
XC-070	TOP CAP 3" ROUND	0.082	0.992
XC-109	1.625" X 1.629" STRINGER	0.100	0.548
XC-144	1.5" ADA HANDRAIL	0.125	0.654
XC-145	2-2/8" HOLLOW HANDRAIL	0.080	0.710
XC-149	COM STRINGER 3/4"	0.080	0.354
XC-151	TOP CAP 2.468" X 1.219"	0.051	0.320
XC-152	SNAP PLATE 2"	0.051	0.320
XC-153	SOLID DIXIE CAP 2.25"	SOLID	1.181
XRT-10-14-050	PICKET .865" X .625" X .045" CORNERS	0.05	0.164



PROFILE EXTRUSION
COMPANY

ANDERSON ROAD
0121 PHONE NO. 706-234-7558
7649

ROME, GEORGIA 30162-
FAX NO. 706-234-

STANDARD SHAPES - SHUTTER HEADER EXTRUSIONS - 6063 ALLOY

PART NO.	TOTAL HEIGHT	BASE WIDTH	WALL THICKNESS	CHANNEL WIDTH (INT.)	CHANNEL HEIGHT	WT/FT
XHSP-001	3.375	2.310	0.060	2.013	2.125	0.542
XHSP-002	3.804	2.375	0.065	2.040	1.987	0.781
XHSP-003	3.804	3.375	0.100	2.040	1.987	0.974
XHSP-004	3.804	4.385	0.100	2.040	1.987	1.096
XHSP-005	3.804	5.394	0.100	2.040	1.987	1.199

STANDARD SHAPES - SHUTTER TRACK EXTRUSIONS - 6063 ALLOY

PART NO.	TOTAL HEIGHT	BASE WIDTH	WALL THICKNESS	OPENING WIDTH	CHANNEL HEIGHT	WT/FT
XFSP-001	0.375	1.700	0.090	0.315	0.375	0.262
XFSP-002	1.375	1.667	0.095	0.310	0.375	0.434
XFSP-003	2.375	1.667	0.090	0.310	0.375	0.542
XFSP-004	3.375	1.667	0.090	0.310	0.375	0.650
XFSP-005	1.670	2.000	0.094	0.277	0.380	0.460
XFSP-006	1.965	1.955	0.095	0.280	0.380	0.521

STANDARD SHAPES - SHUTTER ROLL-UP TUBE EXTRUSIONS - 6063 ALLOY

PART NO.	TOTAL HEIGHT	OUTSIDE WIDTH	WALL THICKNESS	INSIDE WIDTH	WT/FT
XRS-39-070 (60mm)	2.441	2.441	0.070	2.301	0.664



**PROFILE EXTRUSION
COMPANY**

ANDERSON ROAD
ROME, GEORGIA 30162-0121
PHONE NO. 706-234-7558 FAX
NO. 706-234-7649

STANDARD SHAPES - AWNING EXTRUSIONS - 6063 ALLOY

PART NO.	DESCRIPTION	WALL THICKNESS	WT/FT
XC-107	1" X 1" STAPLE GROOVE W/1" FLANGE	0.100	0.479
XC-108	1" X 1" STAPLE GROOVE	0.100	0.419